

FORM PTO-1390 PREY (1-98)	US DEPARTME	NT OF COMMERCE FAT	TENT AND TRADEMARK OFFICE	ATTORNEYS DOCKET NUMBER
TRANSMITT	TAL LETTER T	P/1629-43		
DESIGNA	TED/ELECTE	J.S. APPLICATION NO. (If known, see If CP) . 5)		
å	ING A FILING		•	09/78/750
INTERNATIONAL APPL	CATION NO. IT	TERNATIONAL	. FILING DATE	PRIORITY DATE CLAIMED
PCT/SE99/016	64 2	22 Septem	ber 1999	22 September 1998
TITLE OF INVENTION	GOI	LF TRAINI	NG DEVICE	
APPLICANT(S) FOR DC/	EC/LS Joi	nn SKÁLÉN		
Applicant herewith submits	to the United States De	signated/Elected (	Office (DC/EC/US) the follo	wing items and other information
1. X This is a FIRST	submission of items cor	ncerning a filing a	nder 35 US C 371	
2. This is a SECO!	ND or SUBSEQUENT	suomission of iten	is concerning a filing under l	35 U.S.C 371
3. This express req	uest to begin national ex	becore notanima	ures (35 U.S.C. 371(f)) at any	y time rather than delay
ł	•		· ·	f PCT Articles 22 and 39(1).  nth from the earliest claimed priority date
	nternational Applicati	•	•	nut tight the annual state of the sale
			Tansmitted by the interna	ational Bureau).
	en mansmitted by the		•	- · · · · · · · · · · · · · · · · · · ·
c 's not	required, as the applic	ation was filed	n the United States Receiv	ving Office (RO/US)
6. X A translation of	f the International App	offication into En	gusn +35 U.S.C. 371(c)(2)	)).
Amendments to	the claims of the Inte	mational Appli	ation under PCT Article	19 (35 U.S.C. 371(e)(3))
a. 🗌 ue va	nsmitted herewith ited	autred only if no	השותו שתו על משחותומתנים ז	anonai Bureau).
b. 🔲 nave b	een transmitted by the	e international 3	ureau.	
c. 🔲 have n	ot been made; nowev	er, the time limit	for making such amendm	nents has NCT expired.
d. 💢 have n	ot been made and wil	l not be made		
<ol> <li>A transiation of</li> </ol>	the amendments to th	ie claims under l	PCT Article 19+35 U S.C.	371(c)(3)).
9 🔲 An oath or deci.	aration of the inventor	r(s) (35 U S.C. 3	71(c)(4)).	
10. A translation of (35 U.S.C. 371)		ernational Presir	ninary Examination Repo	rt under PCT Article 36
Items 11. to 16. below o	concern document(s)	or information	included:	
	Disclosure Statement			,
12. An assignment of	tocument for recordin	g. A separate co	over sheet in compliance w	with 37 CFR 3.28 and 3.31 is included.
13. A FIRST prelim	inary amendment.			
A SECOND or S	SUBSEQUENT prelin	ninary amendme	nt.	
14. A substitute spec	eification.		EXPRES	S MAIL CERTIFICATE
15. A change of pow	ver of attorney and/or	address letter.		rfy that this correspondence is being ted States Postal Service as
16. X Other items or in	iformation:		Express Mail Post Offi	ce to Addresses (mail label
Print EFS				S in an envelope addressed to: us and Trademarks, Washington,
	Sheet (1 Fi			March 21, 2001
	Designation ed Declarati		Doro	thy Jenkins
	PCT Intl. p			on Mailing Correspondence
	701 2110± F	στοστο	May 8	La Youken
			( Noro)	ry evy)ens
				Signature
			March	
			Da	te of Signature

C.S. APPEICATION NO	ATT ATT	.NTERNA	TIONAL SPLICATION NO PCT/SE99/01	1664		00CKET YUMBER 1629–43	
17 X The fo	787750 Illowing fees are suit			<del> </del>	CALCULATIO	NS PTO USE ONLY	
	NAL FEE (37 CFR		(5)):			**************************************	
Neither inter	national preliminary	examination	fee (37 CFR 1.482)				
nor international and International	onal search fee (37 Conal Search Report :	CFR 1.445(a)( not prepared b	2)) paid to USPTO by the EPO or JPO	<b>31,000.</b>	44		
			CFR 1 482) not paid to red by the EPO or JPO		Appropries and a second		
International	preliminary examin onal search fee (37 C	iation fee (37 CFR 1.445(a)(	CFR ( 482) not baid to 2)) paid to USPTO	USPTO \$710.	Milesia delipida		
International but all claim	preliminary examin s did not satisfy prov	ation fee paid	to USPTO (37 CFR ) Article 33(1)-(4)	482) \$690.	THE PERSON NAMED IN COLUMN TO SERVICE PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TO SERVICE PROPERTY AND ADDRESS OF		
International and all claim	preliminary examin s satisfied provision	ation fee paid s of PCT Arti	to USPTO (37 CFR cle 33(1)-(4)	482) \$100.			
	ENTER A	PPROPRI.	ATE BASIC FEE	= TRUOWA	\$1,000.00		
Surcharge of \$1. months from the	30.00 for furnishing earliest claimed pric	the oath or de ority date (37	claration later than CFR 1.492(e)).	20 🖺 30	S		
CLAIMS	NUMBER FIL	ED	NUMBER EXTRA	? ZATE	-		
Total claims	5	- 20 =	0	₹ ₹18.00	S		
Independent claims		- 3 =	0	₹ \$80.	Š		
MULTIPLE DEF	PENDENT CLAIM(S)	(if applicable)	0	- \$270.	S		
	TO	TAL OF.	ABOVE CALCUL	ATIONS =	\$1,000.00	0	
Reduction of 1.2 must also by file	for filing by small a d (Note 37 CFR 1.9,	entity, if appli 127, 1.28).	caple. A Smail Entity S	Statement	\$		
	<del></del>		SU	BTOTAL =	1 5 1,000.00	0	
months from the	f \$130.00 for furnish earliest claimed pro	ning the Engli prity date (37	sh translation later than CFR 1.492(f)).	20 30	S		
			TOTAL NATIO	)NAL FEE =	\$1,000.00	0	
Fee for recording	the enclosed assign an appropriate cove	ment (37 CF) r sheet (37 CF	R 1.21(h)). The assigni FR 3.28, 3.31). <b>\$40.</b> 00	ment must be per property	S		
Constitution of the Consti			TOTAL FEES EN	NCLOSED =	\$ 1,000.00	0	
8.5					Amount to be: refunded	S ,	
					charged	3	
a. X A chec	k in the amount of	s 1,000	.00 to cover the a	bove fees is enclose	ed. Check!	No. <u>3877</u>	
b. Please A dupi	b. Please charge my Deposit Account No. In the amount of \$ to cover the above fees. A duplicate copy of this sheet is enclosed.						
c. M The Co overpa	c. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 15-0700 A duplicate copy of this sheet is enclosed.						
			er 37 CFR 1.494 or 1.			revive (37 CFR	
					as as		
SEND ALL CORRI			mmmar ff7	y	11×11		
	NK, FABER, G		FFEN, LLT	SIGNATI	RE /		
	ie of the Ameri , NY 10036-8403			M	ax Moskowi	t <i>z)</i>	
110 % 1013	, 1, 1 10000 0 , 0	-		NAME			
Tel: (212)	Tel: (212) 382 0700				0,576		
				REGISTR	ATION NUMBER		

WO 00/20079

PCT/SE99/01664

1

09/787750

## **GOLF TRAINING DEVICE**

The present invention relates to a golf training arrangement and, more specifically, to an arrangement comprising a golf ball which is used during the tee strike training and which, after the strike, is automatically returned with the aid of a substantially rigid line secured to the ball and, at its opposite, free end adapted to be anchored in the ground at a predetermined distance in front of the ball, and a ring slidable along said line and also on an elastic line, extending substantially across said rigid line, for cooperation with said elastic line the free ends of which are adapted to be anchored in the ground, whereby said ball is, after the strike, by said ring and said rigid line, to which the ball is secured, resiliently halted and then returned.

In the market-place there do today exist a number of prior art arrangements comprising rubber loops or rubber tapes, which are used e.g. for tennis training and also to train golf ball tee strikes. Those arrangements do not provide control over the return of the ball since the force of the strike will determine the speed of the returning fall. For that reason there do often occur accidents caused by balls hitting either the person training or spectators close to the tee. The prior art does also include light plastic balls, some of which are perforated, adapted for training golf swings and ball hits. These do, however, not create a realistic sense and ball hit and it is almost impossible to decide whether the ball hit was good or not.

The object of the present invention is to provide an
35 arrangement of the type mentioned above which comprises a
golf ball and which offers the possibility in a safe and
realistic way to train golf swings and ball hits. In

The state of the s

contrast to the prior art arrangement this one does return the ball in a way under control, meaning that during the end of the return movement the ball is brought back to the player at ground level and to the tee. At the same time 5 identified sections along the front portion of the rigid line indicate the distance from the ball to the ring interconnecting the lines and to the crossing elastic line, thereby providing an indication about which type of club to be used. When the training is carried out with a 10 club of the driver type, the ground connection of the rigid line is moved for example closer to the tee so that the distance between the ball and the crossing line is increased. If the training is carried out with an iron club, e.g. number six, the ground connection is instead 15 moved to a greater distance from the tee whereby the distance between the ball and the crossing line is reduced. The factor decisive for the basic function of the training arrangement is namely that the ball should be returned to the tee, at the same time indicating that the 20 player has made a correct strike. The features of the invention are set out in the subsequent claims.

Thanks to the invention there has been provided an arrangement which in an excellent manner satisfies its

25 purpose and which, in addition thereto, is simple to use and cheap to manufacture. The combination of use of an actual golf ball and the fact that the arrangement according to the invention offers a control return movement creates a very realistic experience of the ball hit which completely determines the quality of the training. Thanks to the fact that the ball is secured to a substantially rigid line, extending from the golf ball to a ground connection, and which via a ring, preferably a metal ring, is slidably held in position on the crossing elastic line,

35 the above-mentioned controlled strike and return of the ball is achieved. When a strike is made the crossing elastic line, or rubber line, catches the ball travelling

25

in the strike direction, which is then converted to a catching direction defining a pulling parabola different from the mentioned direction of the strike. This parabola includes a downwardly towards the ground oriented return 5 movement of the ball, the elastic line keeping the rigid line, at which the ball is secured, depressed and pulls the ball back to ground level along the ground and up to the starting position at the tee. Stated in other words, the interconnection between the longitudinal rigid line 10 and the resilient line forces the ball after the strike earlier to change its direction to a downwardly oriented path thereby storing in the resilient line energy for the return of the ball. The rigid line, at which the ball is secured, exhibits marked sections in front of the passage 15 through the metal ring on the resilient line so that a player who wishes to train with a driver club can in a convenient manner move the golf ball and the rigid line connected therewith away from the resilient line. When the training is with an iron club, the distance between the 20 golf ball and the metal ring can be decreased, either by movement of the crossing line relatively the ball or by displacement of the ground connection of the rigid line. Stated in other words and as has been mentioned above, one can in a simple way change the distance between the ball and the metal ring in response to the type of golf club used since clubs with different angles generate ball trajectories of different height. This does further increase the possibility to determine whether the strike was good or not. In order to facilitate change of ball it 30 could be releasably attached to the rigid line via a mounting ring. Further, the use of a ring for the purpose of interconnecting the rigid line with the resilient line provides the advantage that it is completely impossible for a ball in movement to roll in below the crossing line 35 in which case it would not be caught thereby. Finally, it must be stressed that the golf training arrangement according to the invention does only require a small area

which is distinctly defined because the line to which the ball is secured is substantially rigid.

The invention will now be described more in detail, refe-5 rence being made to the drawing which diagrammatically shows an arrangement comprising a golf ball to be used in connection with tee strikes for training purposes and at which the ball is, following the strike, automatically returned to its tee position.

10

As shown in the drawing a ball 1 is secured to the one end 2 of a rigid line 3, which in turn has its free end 4 anchored in the ground. The connection between the line 3 and the ball 1 is made in such a way that the ball must 15 not be given a through hole. Instead, expanding means can be used, e.g. in the shape of a bolt or a corrogated fastener member, in the center of the ball core. The free end of the expander bolt or the fastener member, respectively, has a member cooperating with the ring used for releasable connection of the ball 1 to the rigid line 3. Alternatively, the line could be secured in the ball core by vulcanization, so as to be integrated therewith. Further, a mounting ball in the ball 1 has a greater diameter in the shell of the ball 1 than in the ball core

strike are not transferred to the shell where they could

otherwise cause cracking.

The portion 5 of the rigid line 3 adjacent the ball 1

30 carries a ring 6 slidable thereon and manufactured in a suitable material, for example plastic or metal. It can also slide on and cooperate with a resilient line 7 extending substantially across the rigid line 3. This resilient line 7 can be constituted by a rubber line and it is, at its free ends 8, 9, adapted to be secured to ground. Since the metal ring 6 encloses both the rigid

line 3 and the resilient line 7 a returning golf ball 1

cannot, in an uncontrolled way, return below the resilient line 7 and then hit the player or a spectator.

According to the preferred embodiment the length of the 5 rigid line 3 is about seven meters and that of the crossing resilient line 7 about five meters. The metal ring 6, which is traversed by both those lines, is at a distance from the golf ball 1 which depends on the type of club selected for the training. In the example illustrated one 10 has, with the aid of the markings on line 3, chosen a distance of about two meters. The distance from the ball to the crossing line 7 is marked on the rigid line 3 with sections A-C which could have the colours blue A, white B and yellow C. With reference thereto the location of the 15 golf ball relatively the metal ring 6 and the crossing line 7 can easily be determined in response to the type of club used at the training. The training arrangement according to the invention does automatically signal the quality of the strike because, upon a good strike the ball 20 will under control be returned to its tee position whereas, when the strike is bad, the ball will come to rest at a longer or shorter distance from its tee position.

25


## CLAIMS

- An arrangement, comprising a golf ball (1) which 5 is used during the tee strike training and which, after the strike, is automatically returned with the aid of a substantially rigid line (3) secured to the ball (1) and, at its opposite, free end adapted to be anchored in the 10 ground at a predetermined distance in front of the ball, and a ring (6) slidable along said line (3) and also on an elastic line (7), extending substantially across said rigid line (3), for cooperation with said elastic line (7) the free ends (8, 9) of which are adapted to be anchored 15 in the ground, whereby said ball (1) is, after the strike, by said ring (6) and said rigid line (3), to which the ball (1) is secured, resiliently halted and then returned, characterized in that the rigid line (3) does, along its front portion (5), exhibit marked sections 20 (A-C) which indicate the distance from the ball (1) to the ring (6), interconnecting the lines, and to the crossing elastic line (7) thereby informing the player about which club he is to use to realize the basic function of the arrangement, namely that the ball will returned to the tee location following a correct and perfect strike.
- An arrangement according to Claim 1, characterized in that the length of the rigid line (3) is approximately seven meters and that of 30 the crossing, resilient line (7) about five meters.
- An arrangement according to Claim 1, characterized in that the rigid line (3) is secured in the ball (1) by expansion means or by the 35 corrogated fastener member in the center of the ball core cooperating with a holding ring attached to line (3).

- 4. An arrangement according to Claim 3, character ized in that the ball (1) has a mounting hole the diameter of which is greater through the shell of the ball than through the center of the ball core.
  - 5. An arrangement according to Claim 1, c h a r a c t e r i z e d i n that the line (3) is integrated with the ball core by a vulcanization process.

## **ABSTRACT**

The invention relates to an arrangement, comprising a golf ball (1) which is used during the tee strike training and which, after the strike, is automatically returned with the aid of a substantially rigid line (3) secured to the ball (1) and, at its opposite, free end adapted to be anchored in the ground at a predetermined distance in 10 front of the ball, and a ring (6) slidable along said line (3) and also on an elastic line (7), extending substantially across said rigid line (3), for cooperation with said elastic line (7) the free ends (8, 9) of which retaining the rigid line (3) are resiliently halted and 15 then returned. The rigid line (3) does, along its front portion (5), exhibit marked sections (A-C) which indicate the distance from the ball (1) to the ring (6), interconnecting the lines, and to the crossing elastic line (7) thereby informing the player about which club he is to use 20 to realize the basic function of the arrangement, namely that the ball will returned to the tee location following a correct and perfect strike.



. UNLO STATES OF AMERICA	
COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION	N
COMBINED DECLARATION AND FOWER OF ATTORNET TORTALENT ATTENDATION	. ,

OFGS FILE NO. P/1629-43

COMBINED DECEMBER						
As a below named inventor, I herebelieve that I am the original, first and matter which is claimed and for which	by declare that: my residence is sole inventor (if only on a patent is sought on the control of	dence, post office acone name is listed be ne invention entitled	Idress and citizenship a clow) or a joint inventor	re as stated bel r (1f plural 1nve	low next to my n entors are named	ame; that I verily ) of the subject
GOLF TRAINING DEV		1				
the specification of which is attached l	hereto, unless the follow	ving box is checked		DCT Into		
was filed on 22 Septe	ember 1999	as United States pa	tent Application Numb	er or PC1 Inter	mational patent	
application number PCT/S						
I hereby state that I have reviewed amendment referred to above I acknowledge the duty to disclose §1.56. I hereby claim priority benefits und States provisional application(s) listed	all information known  der Title 35, United Stat  below and have also if	to be material to pares ses Code §119 of an dentified below any	entability in accordanc	e with Title 37	, Code of Federa	al Regulations,
date before that of the application on v	which priority is claime	d:				
Prior Foreign or Provisional Applicati	on(s)		· · · · · · · · · · · · · · · · · · ·		<del></del>	
COUNTRY	APPLICATION	NUMBER	DATE OF (day, mont	FILING th, year)	PRIOR UNDE	ITY CLAIMED R 35 U.S C. 119
Sweden	980321	.3-9	22 Septeml	ber 199		_NO
						_NO
						_NO
I hereby claim the benefit under Ti of each of the claims of this application. United States Code, §112, I acknowle Regulations, §1 56 which became ava application.	the 35, United States Crom is not disclosed in the disclosed in the dige the duty to disclose illable between the film	e prior United States information which g date of the prior a	is application in the mar is material to patentab pplication and the nation	iner provided bility as defined on PCT int	by the first parage in Title 37, Cod ternational filing	raph of Title 35, e of Federal date of this
UNITED STATES APPLICATION NUMBER	DATE OF FILING (day, month, year)			STATUS (patented, pending, abandoned)		
I hereby appoint customer no. 235, 18,510; Jerome M. Berliner - Reg. No. 27,409; Max Moskowitz - Reg. No. 30,944; Louis C. Dujmich - Reg power of substitution and revocation receive all correspondence.	2 OSTROLENK, FABI 5. 18,653; Robert C. Fal 10. 30,576; Stephen A.: No. 30,625, Douglas A to prosecute this applica	ER, GERB & SOFF per - Reg. No. 24,32 Soffen - Reg. No. 3 Miro - Reg. No. 3 ation, to transact all				
SEND CORRESPONDENCE TO.	OSTROLENK, FAI 1180 AVENUE OF NEW YORK, NEW CUSTOMER NO 2:	YORK 10036-840. 352	(212	2) 382-0700	ONE CALLS TO	
I hereby declare that all statements be true; and further that these stateme imprisonment, or both, under Section the application or any patent issued the	s made herein of my ow ints were made with the 1001 of Title 18 of the hereon				ormation and bel nade are punishal s may jeopardize	et are believed to ble by fine or the validity of
FULL NAME OF SOLE OR FIRST INVENTAGE  JOHN SKÅLÉN	OR	INVENTOR'S SIGN.	Pale		PRIL 9	, 2001
RESIDENCE (City and either State or Foreign Country) S-461 32 Trollhättan, Sweden SEX				country of citizenship Sweden		
POST OFFICE ADDRESS Drottninggatan 8,	S-461 32 '	Trollhätt	an, Sweden			
FULL NAME OF SECOND JOINT INVENTOR (IF ANY)		INVENTOR'S SIGNATURE		Da	ATE	
RESIDENCE (City and either State or Foreign Country)				COUNTRY OF	F CITIZENSHIP	
POST OFFICE ADDRESS						

☐ CONTINUED ON PAGE 2